

HYDROMASSAGE®

Introduces the

LOUNGE 440X 30TH ANNIVERSARY MODEL

Available
SUMMER 2019





EXTERIOR STYLE & DESIGN



- Contemporary exterior panel design with premium Obsidian Black & Atomic Silver color scheme
- WipeClean® waterproof massage cover engineered for a clean look and fit
- Smooth, elegant panel transitions
- Contoured side panels illuminated with customizable LED lighting
- Touchscreen interface features new welcome screens and entertainment options during the massage
- Tapered intake and exhaust panels with newly updated HydroMassage emblem





PERFORMANCE & RELIABILITY

- Engineered to maximize performance with a smooth, more focused massage and 7" (17.8 cm) more massage coverage
- Proprietary traveling massage system life tested for the equivalent of 20 years of massage usage—with no loss of integrity
- Ergonomically contoured and comfortable massage seating position
- Frame and tank design life-tested with a 300-lb (136kg) test dummy for more than 1 million massage cycles, simulating more than 68 years of usage with no loss of integrity
- TouchScreen platform provides advanced user analytics, featuring day-of-week and time-of-day analysis, capacity reports, unit-by-unit usage comparison and massage setting preferences
- Multiple-levels of redundancy built into safety systems, and wide range of mechanical features to enhance performance and durability



SERVICE & MAINTENANCE

- Proprietary water recycling chamber allows the Lounge 440X to operate without the need to add water in between annual maintenance
- Water-safety containment system holds 100% of the water in the event of any minor drip or leak—eliminating the risk of water spill on the floor
- Robust massage guidance system designed to operate without alignment or calibration during service
- Tank sealing system designed to allow for easy access during installation
- Proactive maintenance alerts are sent to HydroMassage Technical Support, including:
 - *Water temperature alert to reduce risk of overheating*
 - *Water level alert to indicate potential maintenance required*
 - *Room temperature alert to ensure user comfort and air filters operating properly*
 - *Pump cavitation alert to maintain integrity of the pump seal*



For more information, please contact

*Neo Medical Systems
francois@neoms.com
+352 661 157 062*

